



VATAN KABLO

TURQUALITY®

740 & 860'lık Fiyat Listeleri

Bir damarlı, PVC izoleli tesisat kabloları. TS EN 50525-2-31 (VDE 0281)	₺/m
H05V-U 300/500V, H07V-U/R 450/750V	
1	0,54
1,5	0,74
2,5	1,20
4	1,90
6	2,80
10	5,10
16	7,90
25	12,60
35	17,40
50	24,00
70	34,50
95	47,50
120	61,50
150	74,50
185	93,50
240	124,50
300	150,00

Çok damarlı, bir veya çok telli PVC izoleli PVC dış kılıflı antigran kablolar. TS 9759 (VDE 0250-204)	₺/m
NYM 300/500V	
2x1,5	2,20
2x2,5	3,20
2x4	5,10
2x6	7,10
2x10	12,70
2x16	19,50
2x25	30,00
2x35	41,00
3G1,5	2,95
3G2,5	4,50
3G4	7,00
3G6	10,10
3G10	18,00
3G16	28,00
3G25	43,70
3G35	59,70
4x1,5	3,80
4x2,5	5,80
4x4	8,90
4x6	13,00
4x10	23,50
4x16	36,50
4x25	57,50
4x35	78,00
5G1,5	4,75
5G2,5	7,30
5G4	11,70
5G6	16,60
5G10	29,70
5G16	46,30
5G25	72,00
5G35	98,30

PVC izoleli çok damarlı ince çok telli fleksible kabloları TS EN 50525-2-11 (VDE 0281)	₺/m
H05VV-F 300/500V	
2x0,75	1,22
2x1	1,53
2x1,5	2,10
2x2,5	3,20
2x4	5,10
2x6*	7,20
2x10*	13,80
2x16*	20,30
2x25*	30,40
3G0,75	1,67
3G1	2,05
3G1,5	2,85
3G2,5	4,50
3G4	6,70
3G6*	11,00
3G10*	20,00
3G16*	29,80
3G25*	44,50
4G0,75	2,12
4G1	2,70
4G1,5	3,70
4G2,5	5,75
4G4	8,80
4G6*	12,70
4G10*	25,20
4G16*	38,00
4G25*	58,50
5G0,75	2,80
5G1	3,65
5G1,5	4,90
5G2,5	7,60
5G4	12,10
5G6*	17,00
5G10*	31,50
5G16*	48,00
5G25*	72,50

Bir damarlı ince çok telli PVC izoleli fleksible kablolar. TS EN 50525-2-31 (VDE 0281)	₺/m
H05V-K 300/500V, H07V-K 450/750V	
0,5	0,34
0,75	0,44
1	0,56
1,5	0,75
2,5	1,23
4	1,95
6	2,90
10	5,40
16	8,00
25	12,80
35	18,00
50	26,00
70	36,00
95	48,00
120	63,00
150	79,00
185	97,00
240	130,00

Bir veya çok damarlı bir veya çok telli PVC izoleli PVC dış kılıflı enerji kabloları TS IEC 60502-1 (VDE 0276-603)	₺/m
NYM 0,6/1kV	
1x4	2,70
1x6	3,65
1x10	5,80
1x16	8,70
1x25	13,50
1x35	18,00
1x50	24,00
1x70	34,00
1x95	47,00
1x120	58,00
1x150	72,00
1x185	90,00
1x240	118,00
1x300	150,00
1x400	198,00
1x500	255,00
1x630	330,00
2x1,5	2,47
2x2,5	3,50
2x4	5,70
2x6	7,60
2x10	12,50
2x16	19,00
2x25	30,50
2x35	41,00
2x50	56,00
3x1,5	3,30
3x2,5	4,75
3x4	7,80
3x6	10,70
3x10	18,00
3x16	27,20

Bir veya çok damarlı bir veya çok telli PVC izoteli PVC dış kılıflı enerji kabloları TS IEC 60502-1 (VDE 0276-603)		t/m
NY 0,6/1kV		
3x25		43,00
3x35		58,00
3x50		80,00
3x16+10		31,30
3x25+16		49,00
3x35+16		63,00
3x50+25		87,00
3x70+35		123,00
3x95+50		170,00
3x120+70		217,00
3x150+70		260,00
3x185+95		330,00
3x240+120		430,00
3x300+150		550,00
4x1,5		4,15
4x2,5		6,10
4x4		9,85
4x6		13,80
4x10		22,70
4x16		35,00
4x25		55,00
4x35		75,00
4x50		101,00
4x70		145,00
4x95		200,00
4x120		253,00
4x150		310,00
4x185		390,00
4x240		520,00
4x300		640,00
5G1,5		5,50
5G2,5		8,00
5G4		12,20
5G6		17,20
5G10		29,00
5G16		45,00
5G25		71,50
5G35		97,00
5G50		132,00
5G70		188,00
5G95		260,00
5G120		330,00
5G150		405,00
5G185		510,00
5G240		670,00
5G300		840,00
7x1,5		7,50
7x2,5		11,00
10x1,5		10,80
10x2,5		16,00
14x1,5		14,50
14x2,5		22,00
19x1,5		19,50
19x2,5		29,00
24x1,5		25,50
24x2,5		39,00
30x1,5		32,00
30x2,5		49,00
40x1,5		44,00
40x2,5		68,00

PVC izoteli çok damarlı yuvarlak çelik zırlı altak gerilim kabloları TS IEC 60502-1 (VDE 0271)		t/m
NYRY 0,6/1kV		
2x1,5		5,80
2x2,5		7,20
2x4		9,50
2x6		13,30
2x10		19,00
2x16		26,50
3x1,5		6,90
3x2,5		8,80
3x4		13,20
3x6		16,80
3x10		25,20
3x16		36,00
4x1,5		8,10
4x2,5		10,50
4x4		16,00
4x6		20,50
4x10		30,00
4x16		46,70
5G1,5		9,20
5G2,5		12,30
5G4		18,50
5G6		24,50
5G10		39,00
5G16		57,00

PVC izoteli çok damarlı yassı çelik zırlı altak gerilim kabloları TS IEC 60502-1 (VDE 0271)		t/m
NYFGbY 0,6/1kV		
3x25+16		60,00
3x35+16		77,00
3x50+25		104,00
3x70+35		145,00
3x95+50		197,00
3x120+70		245,00
3x150+70		295,00
3x185+95		375,00
3x240+120		490,00
3x300+150		630,00
4x10		29,00
4x16		42,00
4x25		67,00
4x35		90,00
4x50		123,00
4x70		172,00
4x95		235,00
4x120		295,00
4x150		360,00
4x185		450,00
4x240		600,00
4x300		740,00

PVC izoteli çok damarlı konsantrik iletkenli altak gerilim kabloları TS IEC 60502-1 (VDE 0276-603)		t/m
NYCY 0,6/1kV (TEİAŞ)		
2x1,5/9		10,10
2x2,5/9		11,40
2x4/9		13,60
2x6/9		16,50
2x10/10		22,00
3x1,5/9		11,20
3x2,5/9		13,00
3x4/9		16,00
3x6/9		20,00
3x10/10		28,00
4x1,5/9		12,30
4x2,5/9		14,50
4x4/9		18,50
4x6/9		24,00
4x10/10		35,00
7x1,5/9		16,40
7x2,5/9		20,80
10x1,5/9		20,20
10x2,5/9		26,40
12x1,5/9		22,20
12x2,5/9		29,70
14x1,5/9		24,20
14x2,5/9		32,80
19x1,5/9		30,00
19x2,5/9		41,40
24x1,5/9		37,00
24x2,5/9		52,00
27x1,5/9		40,00
27x2,5/9		57,00
30x1,5/9		43,00
30x2,5/9		51,00
40x1,5/9		55,00
40x2,5/9		81,00

Bir veya çok damarlı bir veya çok telli XLPE izoteli PVC dış kılıflı enerji kabloları TS IEC 60502-1 (VDE 0276-603)		t/m
N2XY 0,6/1kV		
1x4		2,80
1x6		3,80
1x10		6,10
1x16		9,20
1x25		14,20
1x35		18,70
1x50		25,50
1x70		36,00
1x95		49,00
1x120		62,00
1x150		75,00
1x185		95,00
1x240		125,00
1x300		160,00
1x400		205,00
2x1,5		2,90
2x2,5		4,00
2x4		5,80
2x6		7,90
2x10		12,80
2x16		19,50
2x25		30,50
2x35		41,00
2x50		56,00
3x1,5		3,80
3x2,5		5,40
3x4		8,00
3x6		11,00
3x10		18,30
3x16		28,00
3x25		44,00
3x35		60,00
3x50		82,00
3x16+10		33,40
3x25+16		52,50
3x35+16		67,70
3x50+25		94,00
3x70+35		133,00
3x95+50		183,00
3x120+70		235,00
3x150+70		280,00
3x185+95		360,00
3x240+120		470,00
3x300+150		590,00
4x1,5		4,70
4x2,5		6,90
4x4		10,10
4x6		14,30
4x10		23,80
4x16		36,50
4x25		58,00
4x35		78,00
4x50		108,00
4x70		155,00
4x95		210,00
4x120		270,00
4x150		335,00
4x185		430,00
4x240		560,00
4x300		700,00
5G1,5		6,10
5G2,5		8,80
5G4		13,00
5G6		18,40
5G10		30,70
5G16		47,00
5G25		75,00
5G35		103,00
5G50		140,00

Alüminyum iletkenli bir veya çok damarlı bir veya çok telli PVC izoleli PVC dış kılıfı enerji kabloları TS IEC 60502-1 (VDE 0276-603)	t/m
NAYY 0,6/1kV	740
1x16	1,70
1x25	2,30
1x35	2,90
1x50	3,80
1x70	5,10
1x95	7,00
1x120	8,20
1x150	10,00
1x185	12,50
1x240	16,20
1x300	20,00
1x400	25,50
1x500	33,00
1x630	42,00
2x10	3,40
2x16	4,40
2x25	6,70
2x35	8,20
2x50	10,60
3x10	4,00
3x16	5,30
3x25	8,20
3x35	10,30
3x50	13,20
3x70	18,20
3x95	24,50
3x120	30,10
3x150	37,00
3x185	46,00
3x240	60,00
3x16+10	6,10
3x25+16	9,40
3x35+16	11,20
3x50+25	15,00
3x70+35	20,00
3x95+50	27,00
3x120+70	34,00
3x150+70	40,00
3x185+95	51,00
3x240+120	65,00
3x300+150	80,00
3x400+185	102,00
4x10	4,90
4x16	6,60
4x25	10,30
4x35	13,00
4x50	17,00
4x70	23,00
4x95	31,50
4x120	38,00
4x150	46,00
4x185	59,00
4x240	75,00
4x300	92,00
4x400	118,00
5x10	6,20
5x16	8,50
5x25	12,60
5x35	16,00
5x50	21,50
5x70	29,40
5x95	40,00
5x120	50,00
5x150	61,00
5x185	75,30
5x240	96,00
5x300	123,00

3,6/6 kV XLPE izoleli tek damarlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSY 3,6/6kV	
1x35/16	34,00
1x50/16	41,00
1x70/16	53,00
1x95/16	66,00
1x120/16	82,00
1x150/25	100,00
1x185/25	119,00
1x240/25	147,00
1x300/25	182,00
1x400/35	234,00
1x500/35	290,00
1x630/35	365,00

6/10 kV XLPE izoleli tek damarlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSY 6/10kV	
1x35/16	35,00
1x50/16	42,00
1x70/16	54,00
1x95/16	68,00
1x120/16	83,00
1x150/25	101,00
1x185/25	120,00
1x240/25	148,00
1x300/25	183,00
1x400/35	236,00
1x500/35	294,00
1x630/35	370,00

8,7/15 kV XLPE izoleli tek damarlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSY 8,7/15kV	
1x35/16	37,00
1x50/16	43,00
1x70/16	55,00
1x95/16	69,00
1x120/16	84,00
1x150/25	102,00
1x185/25	121,00
1x240/25	149,00
1x300/25	184,00
1x400/35	238,00
1x500/35	297,00
1x630/35	375,00

20,3/35 kV XLPE izoleli tek damarlı bakır iletkenli kablolar TSE K 204 (VDE 0276-620)	t/m
N2XSY 20,3/35kV	
1x35/16	39,00
1x50/16	45,00
1x70/16	58,00
1x95/16	70,00
1x120/16	85,00
1x150/25	103,00
1x185/25	122,00
1x240/25	150,00
1x300/25	185,00
1x400/35	240,00
1x500/35	300,00
1x630/35	380,00

3,6/6 kV XLPE izoleli 3 damarlı yassı çelik zırlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSEYFbY 3,6/6kV	
3x35/16	110,00
3x50/16	135,00
3x70/16	175,00
3x95/16	230,00
3x120/16	280,00
3x150/25	330,00
3x185/25	400,00
3x240/25	510,00
3x300/25	620,00
3x400/35	790,00

6/10 kV XLPE izoleli 3 damarlı yassı çelik zırlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSEYFbY 6/10kV	
3x35/16	115,00
3x50/16	140,00
3x70/16	185,00
3x95/16	240,00
3x120/16	290,00
3x150/25	340,00
3x185/25	410,00
3x240/25	520,00
3x300/25	630,00
3x400/35	800,00

8,7/15 kV XLPE izoleli 3 damarlı yassı çelik zırlı bakır iletkenli kablolar TS IEC 60502-2 (VDE 0276-620)	t/m
N2XSEYFbY 8,7/15kV	
3x35/16	125,00
3x50/16	150,00
3x70/16	200,00
3x95/16	250,00
3x120/16	300,00
3x150/25	350,00
3x185/25	420,00
3x240/25	540,00
3x300/25	640,00
3x400/35	810,00

20,3/35 kV XLPE izoleli 3 damarlı yassı çelik zırlı bakır iletkenli kablolar TSE K 204 (VDE 0276-620)	t/m
N2XSEYFbY 20,3/35kV	
3x35/16	160,00
3x50/16	185,00
3x70/16	225,00
3x95/16	280,00
3x120/16	325,00
3x150/25	380,00
3x185/25	450,00
3x240/25	560,00
3x300/25	670,00
3x400/35	840,00

20,3/35 kV XLPE izoleli tek damarlı alüminyum iletkenli kablolar TSE K 204 (VDE 0276-620)	t/m
NA2XSY 20,3/35kV	
1x35/16	27,00
1x50/16	28,00
1x70/16	31,00
1x95/16	33,00
1x120/16	35,00
1x150/25	42,00
1x185/25	45,00
1x240/25	51,00
1x300/25	57,00
1x400/35	70,00
1x500/35	82,00
1x630/35	95,00

HALOJEN FREE KABLolar

Bir damarlı ince çok telli HFFR izoleli fleksible kablolar TS EN 50525-3-31	t/m
H05Z1-K 300/500V, H07Z1-K 450/750V	
0,75	0,721
1	0,921
1,5	1,306
2,5	2,094
4	3,282
6	4,779
10	8,478
16	13,013
25	21,387
35	29,306
50	42,746
70	58,260
95	75,467
120	96,963
150	117,759
185	146,342
240	190,093

Çok damarlı , bir veya çok telli XLPE izoleli HFFR dış kılıflı kablolar TSE K 328 [VDE 0250-214]	t/m
NHXMH 300/500V	
2x1,5	4,439
2x2,5	6,273
2x4	8,975
2x6	12,309
2x10	19,750
3G1,5	5,741
3G2,5	7,963
3G4	12,105
3G6	17,113
3G10	27,874
3G16	43,969
4x1,5	7,123
4x2,5	10,253
4x4	15,629
4x6	22,044
4x10	37,590
4x16	56,676
5G1,5	8,594
5G2,5	12,798
5G4	19,269
5G6	27,781
5G10	46,424
5G16	73,810

Çok damarlı ince çok telli XLPE izoleli HFFR dış kılıflı fleksible kablolar TSE K 176	t/m
052XZ1-F 300/500V	860
2x0,75	3,266
2x1	3,749
2x1,5	4,575
2x2,5	6,413
3G0,75	3,940
3G1	4,575
3G1,5	5,856
3G2,5	8,323
3G4	12,352
3G6	17,756
4G0,75	4,632
4G1	5,571
4G1,5	7,238
4G2,5	10,621
4G4	16,129
4G6	22,969
4G10	38,695
5G1,5	9,029
5G2,5	13,691

Bir damarlı HFFR izoleli tesisat kabloları TS EN 50525-3-31	t/m
H05Z1-U 300/500V, H07Z1-U/R 450/750V	
1	0,911
1,5	1,271
2,5	1,998
4	3,172
6	4,625
10	8,198
16	12,589
25	20,030
35	27,058
50	37,565
70	53,244
95	73,531
120	92,357
150	113,977
185	142,246
240	186,063

Bir veya çok damarlı bir veya çok telli XLPE izoleli HFFR dış kılıflı alev dayanıklı kablolar TS HD 604 [VDE 0276-604]	t/m
N2XH FE180 0,6/1kV	
1x4	6,431
1x6	8,258
1x10	11,215
1x16	15,820
1x25	24,926
1x35	32,815
1x50	42,407
1x70	59,387
1x95	81,212
1x120	100,480
1x150	124,082
1x185	151,825
1x240	197,318
2x1,5	7,071
2x2,5	8,783
2x4	11,495
2x6	15,159
2x10	22,764
2x16	33,528
3x1,5	8,859
3x2,5	11,422
3x4	15,793
3x6	20,641
3x10	31,855
3x16	48,299
3x16+10	59,559
3x25+16	93,922
3x35+16	118,078
3x50+25	158,278
3x70+35	216,762
3x95+50	293,711
3x120+70	372,113
3x150+70	442,502
3x185+95	558,311
3x240+120	725,250
4x1,5	11,342
4x2,5	14,563
4x4	19,821
4x6	26,877
4x10	42,777
4x16	65,392
4x25	101,648
4x35	132,913
4x50	174,128
4x70	244,718
4x95	328,636
4x120	405,666
4x150	500,121
4x185	620,133
4x240	809,871
5G1,5	14,357
5G2,5	19,037
5G4	24,839
5G6	32,188
5G10	53,565
5G16	79,406
5G25	128,479
7x1,5	23,248
7x2,5	29,267

Bir veya çok damarlı bir veya çok telli XLPE izoleli HFFR dış kılıflı kablolar TS HD 604 [VDE 0276-604]	t/m
N2XH 0,6/1kV	
1x4	4,939
1x6	6,710
1x10	9,019
1x16	13,313
1x25	21,577
1x35	28,857
1x50	37,942
1x70	53,063
1x95	73,393
1x120	92,609
1x150	114,855
1x185	142,098
1x240	185,810
1x300	231,435
2x1,5	5,023
2x2,5	6,661
2x4	9,196
2x6	12,534
2x10	19,867
2x16	31,455
3x1,5	6,329
3x2,5	8,725
3x4	12,547
3x6	17,541
3x10	27,963
3x16	44,092
3x16+10	51,566
3x25+16	81,295
3x35+16	102,546
3x50+25	138,651
3x70+35	193,364
3x95+50	265,261
3x120+70	340,423
3x150+70	410,988
3x185+95	516,707
3x240+120	681,079
4x1,5	7,510
4x2,5	10,725
4x4	15,494
4x6	21,493
4x10	36,594
4x16	55,777
4x25	88,984
4x35	118,784
4x50	158,248
4x70	226,647
4x95	311,874
4x120	393,622
4x150	484,970
4x185	605,088
4x240	792,773
5G1,5	9,532
5G2,5	13,415
5G4	19,105
5G6	26,853
5G10	44,773
5G16	68,396
7x1,5	12,889
7x2,5	18,658
10x1,5	18,585
10x2,5	26,731
12x1,5	21,714
12x2,5	31,564
14x1,5	24,908
14x2,5	35,876
19x1,5	31,927
19x2,5	47,228
24x1,5	39,845
24x2,5	59,644
30x1,5	49,920
30x2,5	74,166
40x1,5	77,125
40x2,5	111,220

Merkez Ofis: Perpa Ticaret Merkezi, A Blok, Kat:11, No:1385, Okmeydanı - Şişli, İSTANBUL / TÜRKİYE

Tel: +90 (212) 210 33 31 (pbx) Faks: +90 (212) 210 33 43

Ankara Ofis: Sanayi Cad. Hikmet Apt. Kat:5 No:32/11 Ulus / ANKARA

Tel: +90 (312) 311 05 51 (pbx) Faks: +90 (312) 311 05 53

vatan@vatan.com.tr - export@vatan.com.tr

www.vatan.com.tr



VATAN
KABLO